

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	224856	(scan\$4 or search\$3 or look\$3 or locat\$3) with ((address or data or byte) near4 (space or location or position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L2	49600	((id or identification) with (register or queue or buffer or region or storage or list or table or memory or media)) same (pointer or point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L3	1223	L1 same L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L4	10354	((first or primary or initial\$3) same (second or secondary or another or next) with (pointer or point\$3)) same ((match\$3 or predetermin\$4 or select\$3) with (weight or value or size or length)) same (fail\$3 or over or exceed\$3 or less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L5	14	L3 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L6	12	(@pd<"20031230") and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:23
L7	4723	((first or primary or begin\$4) with (value or size or volume or length or capacity or capacity\$4 or amount)) same ((pointer or point\$3) with (register or buffer\$4 or queue or directory or memory or storage or media or medium or table or list\$3)) same (id or identifier or identification or identifi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20

EAST Search History

L8	60006	(secondary or second or next or another) same (fail\$3 or failure or error or unavilable or mismatch\$3 or mis-match\$3 or "NOT" or over or exceed\$3 or less or smaller) same ((predetermin\$3 or pre-determin\$3 or pre-set\$4 or pre-select\$3 or preset\$4 or preselect\$3) with (amout or size or volume or valun or length or capacity or capaciti\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L9	255	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L10	232	(@pd<"20031230") and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L11	25	("711"/\$.ccls. or "710"/\$.ccls. or "713"/\$.ccls.) and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:20
L12	1	("7082552").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/05 10:20
L13	3004	(configurat\$3 with (space or address\$3)) same ((predetermin\$4 or preset\$4 or pre-set\$4 or pre-determin\$3 or known or registered) with (address\$3 or offset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:25
L14	6017	((identification or id) with (register or buffer or queue or directory or list\$3 or table or fifo or memory or storage or media or medium)) with (value or volume or amount or capacity or quantity or size)) same (pointer or point\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:37
L15	19	((starting or start\$3 or begin\$4) near\$3 (offset or address\$3)) and 13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:29
L16	1	(hub with (controller or logic or control\$4 or circuit or device)) and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 10:29

EAST Search History

L17	1	"5485460".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:24
L18	1	"5537626".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:24
L19	1	"5537417".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:25
L20	1	"5509123".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:25
L21	1	"5485460".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:25
L22	1	"5386412".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:26
L23	1	"5379296".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:27
L24	1	"5367646".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:28
L25	1	"5323393".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:28
L26	1	"5280480".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:29
L27	1	"5265239".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:30
L28	1	"5485460".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:30
L29	1	"5325361".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:30
L30	1	"5224098".PN.	USPAT; USOCR	OR	ON	2007/11/05 11:31
L31	88	"5485460".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:32
L32	0	((mis-match\$3 with (value or volume or size or quantity or amount)) with (preset\$4 or predetermin\$3 or pre-set\$4)) same (first or primary or begin\$4) same 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:35
L33	0	((mis-match\$3 with (value or volume or size or quantity or amount)) with (preset\$4 or predetermin\$3 or pre-set\$4)) same (first or primary or begin\$4)) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:36

EAST Search History

L34	0	(((mis-match\$3 or ("NOT" near3 match\$3)) with (value or volume or size or quantity or amount)) with (preset\$4 or predetermin\$3 or pre-set\$4)) same (first or primary or begin\$4)) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:36
L35	0	(((mis-match\$3 or ("NOT" near3 match\$3)) with (value or volume or size or quantity or amount)) same (preset\$4 or predetermin\$3 or pre-set\$4)) same (first or primary or begin\$4)) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:36
L36	51	"5699350".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:37
L37	26	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:37
L38	2	31 and 37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:38
L39	0	36 and 37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 11:38

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3004	((configurat\$3 with (space or address\$3)) same ((predetermin\$4 or preset\$4 or pre-set\$4 or pre-determin\$3 or known or registered) with (address\$3 or offset)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:09
L2	48	((((pci or (peripheral near3 interconnect)) with (bit or byte or offset or address\$3)) same (register or buffer or directory or table or list or memory or storage or media or medium) same point\$4) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:29
L3	22	((value or volume or size or quantity or quantit\$3 or amount or length) with (register or buffer or queue or memory or storage or table or list or media or medium) with (predetermin\$4 or preset\$4 or pre-set\$4 or pre-determin\$4)) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:13
L4	21	(ID or identification) and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:14
L5	21	(match or error or failure) and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:30
L6	20	(@pd<"20031230") and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:48
L7	0	(((((pci or (peripheral near3 interconnect)) with (bit or byte or offset or address\$3)) same (register or buffer or directory or table or list or memory or storage or media or medium) same point\$4) and ((configurat\$3 with (space or address\$3)) same ((predetermin\$4 or preset\$4 or pre-set\$4 or pre-determin\$3 or known or registered) with (address\$3 or offset))))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:28

EAST Search History

L8	66	(((value or volume or size or quantity or quantit\$3 or amount or length) with (register or buffer or queue or memory or storage or table or list or media or medium) with (predetermin\$4 or preset\$4 or pre-set\$4 or pre-determin\$4))) and ((configurat\$3 with (space or address\$3)) same ((predetermin\$4 or preset\$4 or pre-set\$4 or pre-determin\$3 or known or registered) with (address\$3 or offset))))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:28
L9	0	(((pci or (peripheral near3 interconnect)) with (bit or byte or offset or address\$3)) same (register or buffer or directory or table or list or memory or storage or media or medium) same point\$4) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:29
L10	36	(@pd<"20031230") and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:30
L11	21	(match or error or failure) and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 12:30
L12	1	"3815103".PN.	USPAT; USOCR	OR	ON	2007/11/05 12:48
L13	35	"5129069".uref.	USPAT; USOCR	OR	ON	2007/11/05 12:48
L14	33	(@pd<"20031230") and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:06
L15	54704	((different or differen\$4 or vary or variable) with (interconnet\$3 or bus or bridge or link\$3) with (size or capacity or value or volume or quantity or quanti\$4 or length or amount))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:03
L16	7184	((pci or interconnect\$3) with express\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:04

EAST Search History

L17	5	1 and 15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:04
L18	217	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:06
L19	58	(@pd<"20031230") and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:06
L20	57	1 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:06
L21	31	(@pd<"20031230") and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/05 13:06
L22	1	"5671355".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:09
L23	1	"5623687".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:09
L24	1	"5594874".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:10
L25	1	"5537601".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:10
L26	1	"5428748".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:11
L27	1	"5414380".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:11
L28	1	"5371892".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:11
L29	1	"5361365".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:14
L30	1	"5185516".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:14
L31	1	"5175831".PN.	USPAT; USOCR	OR	ON	2007/11/05 13:15